



BREEDING RECORD SHEET:- EGGLAYERS

| | |
|-------------------------|--------------------|
| Breeder's Name: | Dave Hallam |
| Submission Date: | 07/12/2008 |

SPECIES INFORMATION

| | | | | |
|-----------------------|----------------------------------|------|---------|-----|
| Scientific Name | <i>Cryptoheros sajica</i> | | | |
| Common Name | T-Bar cichlid | | | |
| Points Awarded/ Class | Points Awarded | 15 | Class | 6 |
| Number of Fish | Male | 1 | Female | 1 |
| Approx Size (cm) SL | Male | 11 | Females | 12 |
| Approx Age (if known) | Male | >1yr | Female | 1yr |

SPAWNING TANK / CONDITIONING TANK INFORMATION

| | | | | | | |
|------------------|--|-----|-------------|----|-------|-----|
| Tank Size (cm) | Length | 120 | Height | 30 | Width | 30 |
| Substrate | None | | | | | |
| Decor | Half terracotta pots, bogwood, Java moss | | | | | |
| Water Conditions | pH | 7 | Temperature | 25 | GH | 1-4 |

SPAWNING AND REARING INFORMATION

| | | | |
|--------------------|------------|---------------------------------|------|
| Spawn Date | 01/06/2008 | Approx number of eggs | 200+ |
| Hatch Date | 04/06/2008 | Approx number hatched fry | 200 |
| Free Swimming Date | 08/06/2008 | Approx number free swimming fry | 200 |



Breeders Award Programme

FRY REARING INFORMATION

| | | | | | | |
|-------------------------------------|---|-----|------------------------------------|------|-------|-----|
| Tank Size (cm) | Length | 120 | Height | 30 | Width | 30 |
| Substrate | None | | | | | |
| Decoration | Half terracotta pots, bogwood, Java moss | | | | | |
| Water Conditions | pH | 7 | Temperature | 25 | GH | 1-4 |
| First foods (period these fed for) | BBS, microworm, crumble | | | | | |
| Second foods (period these fed for) | BBS, microworm, crumble, crushed flake etc. | | | | | |
| 60-90 Day Update | Approx Number of Surviving Fry | 100 | Approx Size Range of Surviving Fry | 30mm | | |
| Other Comments | Parents were removed at about 6wks due to the fry overfeeding on the mucus and causing slight damage. At approximately 8wks half the brood was lost due to a crash in the filtration. | | | | | |

| | |
|---|---|
| <p>General Information</p> <p>Observations or details that may assist another aquarist to breed this species</p> | <p>I found that sexing the young is not easy, males seem to develop a blue cheek. Length of finnage between the adult male and female is not noticeably different. The male develops a slight nuchal hump area. The female has a rounder chest.</p> |
|---|---|



Breeders Award Programme

Female



Male





Breeders Award Programme

Parents with fry

